

# Laminate flooring

The premium interpretation of realistic wood finishes





# TARKETT HUMAN CONSCIOUS DESIGN®

Today, more than ever, home is where people spend a big part of their day.



WOODSTOCK 832  
CHALET OAK  
510035043 (0V)  
510036043 (4V)

People are looking for healthier and more modular spaces, where they feel relaxed and comfortable. They need a place where each family member can enjoy his or her own personal space.

At Tarkett we strive to contribute to people's health by raising standard in indoor air quality, and wellbeing through adapted decors in each style of room. We deliver on this through **Tarkett Human-Conscious Design®** which is our commitment to stand with present and future generations. We are committed to create spaces that are good for the people and for the planet, and to do it every day through 3 commitments:

- **Deep Human Understanding**
- **Conscious choices. For people and the planet**
- **With you. Every step of the way**



EASY LINE 832  
VICTORIA OAK TABAC  
510030007



WOODSTOCK XL 1032  
GARONNE OAK  
510032027



WOODSTOCK PRO 833  
COMFORT OAK  
510034039



WOODSTOCK 832  
SKYE OAK  
510036053



WOODSTOCK 832  
PATIO OAK BEIGE  
510036054



ESSENTIALS 832  
PALLAS OAK  
510031023



# LAMINATE

## Easy-going, healthier flooring solutions



### A WHOLE RANGE OF DESIGNS

Laminate floorings offer even more variety than wood. The printed designs provide ample scope to mix and match wood-grain patterns and shades. With 60 designs, 3 boards formats and 2 types of bevelling, our new collection has the right floor for your interior.



### A COMFORTABLE FLOOR


Laminate is ideal for bringing an intimate, cocooning feel to living areas. Made of 84% wood, Laminate floorings provide natural thermal insulation. When installed with a suitable underlayer, Laminate contributes to reduce the impact noise up to 17 dB for a better acoustic insulation floor to floor when walking.



EASY LINE 832  
WOODBIDGE OAK  
510030010



WOODSTOCK 832  
SKYE OAK  
510036053



WOODSTOCK XL 832  
BELVEDERE CHEVRON  
510033034



WOODSTOCK 832  
PATAGONIA OAK LIGHT  
510036041



### A ROBUST FLOORING SOLUTION

- High-density core board to ensure excellent impact resistance and to withstand heavy furniture without denting.
- Top layer to protect the surface against scratching and fading, making Laminate the perfect choice for busy spaces.



### A HASSLE-FREE MAINTENANCE

#### Easy to clean means easy to maintain

- Hard sealed surface with a stain-resistant overlay making our Laminate floorings very easy to clean : a vacuum and a damp mop with mild detergent are all they need.
- Tight locking system preventing dust and dirt from collecting between the boards.
- Dirt-repellent melamine resin surface as an excellent barrier against the growth or spread of germs, contributing to a healthier home environment in every living space.



#### When applied regularly, these tips will help keep your floor looking as good as the day you laid it:

- Daily: wipe or vacuum.
- Once a week or more: wipe the floor with a damp mop or a cloth moistened with warm water and a neutral detergent.
- Whenever necessary: remove dust with a broom or vacuum cleaner to avoid dust and dirt build-up.
- It is advisable not to let the water station on the floor for a long time.



# LAMINATE

## The premium interpretation of realistic wood

Durable and designed to perfectly reproduce the texture of natural materials, Laminate flooring is the ideal, affordable alternative to hardwood floors.

Manufactured in Germany, our Laminate range provides the highest quality materials and features making the construction incredibly strong.

From a stylish kitchen or a cosy living room to a light, airy loft, a rustic dining area or an inviting hotel room, Laminate is a popular flooring choice for almost any interior. The wide range of authentic decors available, from on-trend solid woods to light Scandinavian designs, makes it easy to find one that is right for your space.



### ① Highly resistant protective surface

Innovative surface protection for durability and hygiene. Embossing to give a more realistic textured surface for a sophisticated decorative effect.

### ② Premium decorative layer

Made from printed paper, to allow a wide variety of very detailed designs and beautiful colours and patterns.

### ③ High density core board for better resistance

High density fiberboard from more than 80% wood to provide exceptional structural strength and high resistance.

### ④ Highly stable balancing layer

Protection of the core board from moisture to guarantee dimensional stability.





EASY LINE  
TRAVERTINE OAK  
510030011



# CONSCIOUS CHOICES. FOR PEOPLE AND THE PLANET

When it comes to people and the planet, we do not consider one without the other. At Tarkett, we aim to positively impact the daily life of families at home making sure you have made the right choice for the environment and for the end-users. For us, this means exceeding indoor air quality standards, instituting healthy material norms, reducing our carbon footprint and having in mind to re-use and repurpose them at the end of their life.



## CLIMATE & CIRCULAR ECONOMY

At Tarkett, we tackle climate change by designing our products in line with circular economy principles supported by Cradle to Cradle®.

- **100% recycled materials** packagings
- **Renewable resources** produced Laminates
- **Carbon negative** floorings



## GOOD MATERIALS

You can rely on us about what is in the product you are buying, providing you with peace of mind that you are making a sustainable choice for you and your family.


- **84%** natural materials
- **Water-based** dyes printed designs



## HEALTH AND WELL-BEING

The air you breathe is so important to your health. Laminate floors contribute to better indoor air quality.

- **Low VOC** emissions (Volatile Organic Components)
- **Non-PVC** solutions, made without softeners.






# FAST AND EASY INSTALLATION

Our Laminate floors come with a new profile that makes them fast and easy to install.


Closer-fitting joints ensure excellent surface stability.

Discover our new user-friendly locking system which can be installed 3 different ways for a smooth installation. Choose the one that suits you best!



## USER FRIENDLY LOCKING SYSTEM

- Plank-by-plank
- Row-by-row
- Tapping



## SAVE TIME

- Glue-free installation
- Allows several persons to work simultaneously
- Floor can be used immediately after floating installation




## EXCELLENT SURFACE STABILITY

- Laminate floors undergo minimal swelling, can withstand water and work well in kitchens
- The planks are very tightly jointed, reducing the height difference and creating a beautiful, flat surface.

# INSTALLATION IN KITCHENS

Our Laminate floors are suitable for heavy domestic use, particularly in kitchen area, where flooring needs to withstand day-to-day home life. Thanks to its hard sealed surface, our Laminate floor is stain-resistant, meaning that spills and drips, food stains, heat and dropped utensils, as well as the constant traffic, are not a problem.

## Suitable for kitchen



Our Laminate flooring is designed to be installed as a floating floor, so it must be able to expand and contract. Floor movement should not be obstructed or limited by the placement of overly heavy objects.

To install Laminate in the kitchen, please observe the following rules :

- Built-in kitchens, cupboards and cabinets should be assembled prior to installation of the floor. They should not be affixed directly to the floor.

If this is not possible, the alternatives methods below can be used :

### Decoupling:

- Install the Laminate flooring over the entire surface and assemble the kitchen unit /built-in cupboard over it.
- Decouple the Laminate flooring surface by sawing between the furniture feet and the skirting panel.
- Cover by floor profile or leave open (no visible gap).

### Bolt circle drill:

- Install the Laminate flooring over the entire surface.
- Determine the position of the furniture feet, mark the positions on the Laminate flooring and drill them out using a bolt-circle drill (furniture foot + 16mm).
- Assemble the kitchen unit /built-in cupboard.



EASY LINE 832  
TRAVERTINE OAK  
510030011



Refer to installation instructions & warranties for detailed information on our website  
<https://eqrcode.co/a/laminate>






# DELIGHT

## in the design details

The quality of Tarkett Laminate floors can be found in every detail.

### FINISHES & EMBOSSING

When it comes to Laminate flooring, every detail counts. Our designs have a wide range of finishes and textures, from deep embossing to delicate effects in matt, silk or gloss sheens.



#### Replicate the natural

A decorative layer printed in high definition recreates the look and feel of real wood so closely that you could think it natural.



#### Attention to detail

Most Laminate designs feature from our Plus Effect technology. Each plank is embossed-in-register to add lifelike traces and patterns that subtly catch the light.

### BEVELLING

We offer 2 kinds of bevelling to help you create different styles of decor.



#### No bevel

A simple finish for a natural look.



#### 4-sided

V-bevelled on all four sides for an authentic wood look.

### BOARD FORMATS

The choice of plank format has a huge impact on the style of any room. For total design flexibility, Tarkett Laminate floors come in a 3 different formats.



#### Classic planks

The elegance of a classic wooden floorboard

Collections:  
Easy Line 832, Essentials 832,  
Woodstock 832, Woodstock PRO 833



#### Kingsize

Ideal in designs for creating a sense of space and a contemporary look

Collection:  
Woodstock XL 832



#### Long planks

The best choice for highly architectural spaces

Collection:  
Woodstock XL 1032








# TARKETT LAMINATE COLLECTION

The Tarkett Laminate range offers 5 collections with their own unique features and 60 designs to suit everyone's interior home-decoration needs. All the collections are durable, easy to clean and good for people and the planet.

Thanks to its high-density core board, our Laminate range provides excellent impact resistance and can even withstand heavy domestic use in tough environments like kitchen, room subjected to moisture and water\*.

Our Laminate flooring solutions contribute to healthier spaces: they feature low VOC emissions (Volatile Organic Components).

From entry to premium range, by way of our acoustic and commercial solutions, we have the right Laminate floor for you.

 BENEFITS  COLLECTIONS	 DESIGNS	 BOARDS FORMATS	 THICKNESS
<b>Easy Line 832</b>	12	Classic planks	8 mm
<b>Essentials 832</b>	12	Classic planks	8 mm
<b>Woodstock 832</b>	20	Classic planks	8 mm
<b>Woodstock XL 832 / 1032</b>	4 / 7	King Size / Long planks	8 / 10 mm
<b>Woodstock PRO 833</b>	5	Classic planks	8 mm

 RESISTANCE	 CLASS OF USE	 PRICE
High	32	€
High	32	€€
High	32	€€€
High	32	€€€
Very High	33	€€€

\* Suitable for use in the kitchen, not suitable for bathrooms, saunas, showers or outside... Refer to installation instructions and warranties for detailed information.



# EASY LINE 832

The collection that balances value, style and quality. Featuring a wide choice of oaks in timeless colours alongside grey and red-brown shades to match your mood, Easy Line 832 has all you need to create exciting interiors for minimal outlay.

**TRAVERTINE OAK**  
Decor reference: 510030011  
Skirting reference: 510023052



**WOODBIDGE OAK**  
Decor reference: 510030010  
Skirting reference: 510023053



**AMBER OAK**  
Decor reference: 510030009  
Skirting reference: 510023060



**CREAM OAK**  
Decor reference: 510030000  
Skirting reference: 510023004



**CRAFTED OAK**  
Decor reference: 510030001  
Skirting reference: 510023003



**CLASSIC WALNUT BROWN**  
Decor reference: 510030002  
Skirting reference: 510023006



**CLASSIC WALNUT RED**  
Decor reference: 510030003  
Skirting reference: 510023005



**SEASHORE OAK**  
Decor reference: 510030004  
Skirting reference: 510023009



Dimensions:

1292 x 193 mm

8 mm



No bevel

MULTISHADE DESIGN decors have been designed with differences in colour to create a more natural and untouched look. These variations will consequently appear from one plank to another within the same pack.

**STONE OAK**  
Decor reference: 510030005  
Skirting reference: 510023007



**BELMOND OAK NATURE**  
Decor reference: 510030006  
Skirting reference: 510023014



**VICTORIA OAK TABAC**  
Decor reference: 510030007  
Skirting reference: 510023012



**VICTORIA OAK VANILLE**  
Decor reference: 510030008  
Skirting reference: 510023013



**AMBER OAK**  
510030009



# ESSENTIALS 832

Blending lighter and darker shades, a smart selection of striking wood designs. From soft beige to rich brown, from subtle textures to rustic grains, this collection is called Essentials 832 for a reason. Colours and patterns as created by nature.

Dimensions:  
1292 x 193 mm  
8 mm




MULTISHADE DESIGN decors have been designed with differences in colour to create a more natural and untouched look. These variations will consequently appear from one plank to another within the same pack.

**PALLAS OAK**  
Decor reference: 510031023  
Skirting reference: 510023043



**SONDERVIG OAK LIMED**  
Decor reference: 510031013  
Skirting reference: 510023023



**TUNDRA OAK SPRING**  
Decor reference: 510031012  
Skirting reference: 510023019



**BELMOND OAK BEIGE**  
Decor reference: 510031014  
Skirting reference: 510023027



**BELMOND OAK GREY**  
Decor reference: 510031015  
Skirting reference: 510023026



**SUNSET OAK**  
Decor reference: 510031019  
Skirting reference: 510023022




**SALT OAK**  
Decor reference: 510031016  
Skirting reference: 510023025



**DESERT OAK**  
Decor reference: 510031020  
Skirting reference: 510023017




**TUNDRA OAK AUTUMN**  
Decor reference: 510031017  
Skirting reference: 510023020




**TICINO OAK**  
Decor reference: 510031021  
Skirting reference: 510023028



**BLACKFOREST OAK**  
Decor reference: 510031018  
Skirting reference: 510023015



**VICTORIA OAK NATURE**  
Decor reference: 510031022  
Skirting reference: 510023024



PALLAS OAK  
510031023



# WOODSTOCK 832

Classical elegance meets timeless allure in a collection of luxurious designs. Woodstock 832 has the understated appeal of tradition. Plus Effect technology endows every design with a natural feel. The colour palette runs from lush honey to deep browns and smart greys.



**DUNE FOREST PINE**  
510036052

**CHALET OAK**  
Decor reference 0V: 510035043  
Skirting reference: 510023078



**CHALET OAK**  
Decor reference 4V: 510036043  
Skirting reference: 510023078



**DUNE FOREST PINE**  
Decor reference 4V: 510036052  
Skirting reference: 510023090



**ISLAY OAK**  
Decor reference 0V: 510035044  
Skirting reference: 510023089



**ISLAY OAK**  
Decor reference 4V: 510036044  
Skirting reference: 510023089



**SKYE OAK**  
Decor reference 4V: 510036053  
Skirting reference: 510023091



**PATIO OAK BEIGE**  
Decor reference 4V: 510036054  
Skirting reference: 510023003



**ARTISAN OAK NATURAL**  
Decor reference 0V: 510035042  
Skirting reference: 510023056



**ARTISAN OAK NATURAL**  
Decor reference 4V: 510036042  
Skirting reference: 510023056



**CHALK OAK**  
Decor reference 0V: 510035040  
Skirting reference: 510023062



**CHALK OAK**  
Decor reference 4V: 510036040  
Skirting reference: 510023062



**PATAGONIA OAK LIGHT**  
Decor reference 0V: 510035041  
Skirting reference: 510023047



**PATAGONIA OAK LIGHT**  
Decor reference 4V: 510036041  
Skirting reference: 510023047



**MAREMMA OAK**  
Decor reference 4V: 510036045  
Skirting reference: 510023046



**BROWN OAK**  
Decor reference 4V: 510036046  
Skirting reference: 510023058



Dimensions:  
1292 x 193 mm  
8 mm



No bevel

4-sided bevel

**ARTISAN OAK GREY**  
Decor reference 4V: 510036047  
Skirting reference: 510023055



**PATINA OAK**  
Decor reference 4V: 510036048  
Skirting reference: 510023043



**HANDBRUSHED PINE WHITE**  
Decor reference 4V: 510036049  
Skirting reference: 510023044



**GREENWICH OAK**  
Decor reference 4V: 510036050  
Skirting reference: 510023060



**DARK COPPER OAK**  
Decor reference 4V: 510036051  
Skirting reference: 510023061





# WOODSTOCK XL 832

Great design needs space to reveal itself in all its beauty, which is why our Woodstock XL range is generously proportioned. We also take care to ensure no individual pattern is repeated within the same plank.

This collection stands out for its choice of ultralong boards, while the extra-wide Bigfoot, Chevron & Patchwork designs herald a new generation of Laminate floors.

Dimensions 832:

1292 x 327 mm

8 mm



No bevel



# WOODSTOCK XL 1032

Dimensions 1032:

2050 x 246 mm

10 mm



4-sided bevel



**PATCHWORK BROWN**  
Decor reference 0V: 510033031  
Skirting reference: 510023070




**PATCHWORK BLONDE**  
Decor reference 0V: 510033032  
Skirting reference: 510023030



**BELVEDERE CHEVRON**  
Decor reference 0V: 510033033  
Skirting reference: 510023072



**AMALIENBORG CHEVRON**  
Decor reference 0V: 510033034  
Skirting reference: 510023073



PATCHWORK BROWN  
510033031

**WOODFORD OAK**  
Decor reference 4V: 510032029  
Skirting reference: 510023068



**SAVERNE OAK**  
Decor reference 4V: 510032030  
Skirting reference: 510023019



**GARONNE OAK**  
Decor reference 4V: 510032027  
Skirting reference: 510023041



**SIERRA OAK SAND**  
Decor reference 4V: 510032024  
Skirting reference: 510023042



**BLACKSMITH OAK NATURAL**  
Decor reference 4V: 510032025  
Skirting reference: 510023038



**BLACKSMITH OAK SMOKED**  
Decor reference 4V: 510032026  
Skirting reference: 510023039



**BLACKSMITH OAK AGED**  
Decor reference 4V: 510032028  
Skirting reference: 510023040





# WOODSTOCK PRO 833

The best selling floor for high-traffic areas has just got even better. The Woodstock PRO 833's reinforced structure now offers optimal resistance alongside with a selection of new designs. Two more reasons to consider the collection specially conceived for retail and hospitality use.

Dimensions:

1292 x 193 mm

8 mm 



4-sided bevel

## PALE OAK

Decor reference: 510034038  
Skirting reference: 510023086



## COMFORT OAK

Decor reference: 510034039  
Skirting reference: 510023087



## CABIN OAK

Decor reference: 510034035  
Skirting reference: 510023048



## MOUNTAIN OAK

Decor reference: 510034036  
Skirting reference: 510023053



## HALIFAX OAK SAND

Decor reference: 510034037  
Skirting reference: 510023029















PALE OAK  
510034038



# DISCOVER OUR FULL LAMINATE COLLECTION











## EASY LINE 832

Class 32 - 8 mm thickness - 1292 x 193 mm  
No bevel










	<b>Cream Oak</b> 510030000		<b>Belmond Oak Nature</b> 510030006
	<b>Crafted Oak</b> 510030001		<b>Victoria Oak Tabac</b> 510030007
	<b>Classic Walnut Brown</b> 510030002		<b>Victoria Oak Vanille</b> 510030008
	<b>Classic Walnut Red</b> 510030003		<b>Amber Oak</b> 510030009
	<b>Seashore Oak</b> 510030004		<b>Woodbridge Oak</b> 510030010
	<b>Stone Oak</b> 510030005		<b>Travertine Oak</b> 510030011

## WOODSTOCK 832

Class 32 - 8 mm thickness - 1292 x 193 mm  
No bevel













	<b>Chalk Oak</b> 510035040		<b>Patagonia Oak Light</b> 510036041
	<b>Patagonia Oak Light</b> 510035041		<b>Patina Oak</b> 510036048
	<b>Artisan Oak Natural</b> 510035042		<b>Handbrushed Pine White</b> 510036049
	<b>Chalet Oak</b> 510035043		<b>Greenwich Oak</b> 510036050
	<b>Islay Oak</b> 510035044		<b>Dark Copper Oak</b> 510036051

Class 32 - 8 mm thickness - 1292 x 193 mm  
4-sided bevel

	<b>Maremma Oak</b> 510036045		<b>Islay Oak</b> 510036044
	<b>Artisan Oak Natural</b> 510036042		<b>Dune Forest Pine</b> 510036052
	<b>Brown Oak</b> 510036046		<b>Skye Oak</b> 510036053
	<b>Chalk Oak</b> 510036040		<b>Patio Oak Beige</b> 510036054
	<b>Artisan Oak Grey</b> 510036047		





## ESSENTIALS 832

Class 32 - 8 mm thickness - 1292 x 193 mm  
4-sided bevel








	<b>Tundra Oak Spring</b> 510031012		<b>Blackforest Oak</b> 510031018
	<b>Sondervig Oak Limed</b> 510031013		<b>Sunset Oak</b> 510031019
	<b>Belmond Oak Beige</b> 510031014		<b>Desert Oak</b> 510031020
	<b>Belmond Oak Grey</b> 510031015		<b>Ticino Oak</b> 510031021
	<b>Salt Oak</b> 510031016		<b>Victoria Oak Nature</b> 510031022
	<b>Tundra Oak Autumn</b> 510031017		<b>Pallas Oak</b> 510031023

## WOODSTOCK XL

**832**  
Class 32 - 8 mm thickness - 1292 x 327 mm  
No bevel






	<b>Patchwork Brown</b> 510033031
	<b>Patchwork Blonde</b> 510033032
	<b>Belvedere Chevron</b> 510033033
	<b>Amalienborg Chevron</b> 510033034

**1032**  
Class 32 - 10 mm thickness - 2050 x 246 mm  
4-sided bevel

	<b>Sierra Oak Sand</b> 510032024
	<b>Blacksmith Oak Natural</b> 510032025
	<b>Blacksmith Oak Aged</b> 510032026
	<b>Garonne Oak</b> 510032027
	<b>Blacksmith Oak Smoked</b> 510032028
	<b>Woodford Oak</b> 510032029
	<b>Saverne Oak</b> 510032030

## WOODSTOCK PRO 833

Class 33 - 8 mm thickness - 1292 x 193 mm  
4-sided bevel

	<b>Cabin Oak</b> 510034035
	<b>Mountain Oak</b> 510034036
	<b>Halifax Oak Sand</b> 510034037
	<b>Pale Oak</b> 510034038
	<b>Comfort Oak</b> 510034039





# TECHNICAL INFORMATION

		EASY LINE 832	ESSENTIALS 832
<b>Classification</b>	<b>Norm</b>	<b>Tarkett Value</b>	
Product type	EN 13329	Laminate floor coverings	Laminate floor coverings
Commercial classification	EN 13329	32 General	32 General
HDF core board density	EN 323	900 kg/m <sup>3</sup>	900 kg/m <sup>3</sup>
<b>Technical Characteristics</b>	<b>Norm</b>		
Total thickness	EN 13329 - Annex A	8 mm	8 mm
Bevelled edges		No bevel	4 sides
Installation method		Click	Click
<b>Performance for CE Marking</b>	<b>Norm</b>		
Declaration of Performance #	EN 14041	0132-0078-DoP-2021-08	0132-0078-DoP-2021-08
Reaction to fire	EN 14041	Cfl-s1	Cfl-s1
Slip resistance	EN 14041	Class DS ( $\mu \geq 0,30$ )	Class DS ( $\mu \geq 0,30$ )
Electrostatical propensity	EN 14041	Antistatic ( $\leq 2$ kV)	Antistatic ( $\leq 2$ kV)
Thermal resistance	EN 14041	$\leq 0,15$ m <sup>2</sup> K/W	$\leq 0,15$ m <sup>2</sup> K/W
Content of Pentachlorophenol	EN 14041	< 5 ppm	< 5 ppm
Formaldehyde emission	EN 14041	E1	E1
<b>Technical performance</b>	<b>Norm</b>		
Abrasion resistance	EN 13329, annex E	AC4	AC4
Impact resistance Big Ball	EN 13329, annex H	$\geq 750$ mm	$\geq 750$ mm
Impact resistance Small Ball	EN 13329, annex H	$\geq 12$ N	$\geq 12$ N
Stain resistance - groups 1 and 2	EN 438	Level 5	Level 5
Stain resistance - group 3	EN 438	Level 4	Level 4
Furniture leg effect	ISO 16581	No damage	No damage
Castor chair effect	ISO 4918	No damage	No damage
Thickness Swelling	ISO 24336	$\leq 18$ %	$\leq 18$ %
Colour fastness to light	EN 13329	$\geq 4$	$\geq 4$
Surface Soundness	EN 13329, annex D	$\geq 1.25$ N/mm <sup>2</sup>	$\geq 1.25$ N/mm <sup>2</sup>
<b>Sustainability performances</b>	<b>Norm</b>		
Emissions label		A+	A+
PEFC		Yes	Yes
RTS emission class		M1	M1
Carb II Compliant		Yes	Yes
<b>Dimensions and designs</b>			
Plank		Plank 1292 x 193 mm 8 planks = 1,995 m <sup>2</sup> / box 60 boxes / pallet 7,26 kg/m <sup>2</sup>	Plank 1292 x 193 mm 8 planks = 1,995 m <sup>2</sup> / box 60 boxes / pallet 7,26 kg/m <sup>2</sup>
Number of designs available		12	12
<b>Garanties</b>			
Residential use		20 years	20 years
Commercial use		5 years	5 years

	WOODSTOCK 832	WOODSTOCK XL 832	WOODSTOCK XL 1032	WOODSTOCK PRO 833
<b>Classification</b>				
Product type	Laminate floor coverings	Laminate floor coverings	Laminate floor coverings	Laminate floor coverings
Commercial classification	32 General	32 General	32 General	33 Heavy
HDF core board density	900 kg/m <sup>3</sup>	900 kg/m <sup>3</sup>	900 kg/m <sup>3</sup>	900 kg/m <sup>3</sup>
<b>Technical Characteristics</b>				
Total thickness	8 mm	8 mm	10 mm	8 mm
Bevelled edges	4 sides No bevel	No bevel	4 sides	4 sides
Installation method	Click	Click	Click	Click
<b>Performance for CE Marking</b>				
Declaration of Performance #	0132-0078-DoP-2021-08	0132-0078-DoP-2021-08	0132-0078-DoP-2021-08	0132-0078-DoP-2021-08
Reaction to fire	Cfl-s1	Cfl-s1	Cfl-s1	Cfl-s1
Slip resistance	Class DS ( $\mu \geq 0,30$ )	Class DS ( $\mu \geq 0,30$ )	Class DS ( $\mu \geq 0,30$ )	Class DS ( $\mu \geq 0,30$ )
Electrostatical propensity	Antistatic ( $\leq 2$ kV)	Antistatic ( $\leq 2$ kV)	Antistatic ( $\leq 2$ kV)	Antistatic ( $\leq 2$ kV)
Thermal resistance	$\leq 0,15$ m <sup>2</sup> K/W	$\leq 0,15$ m <sup>2</sup> K/W	$\leq 0,15$ m <sup>2</sup> K/W	$\leq 0,15$ m <sup>2</sup> K/W
Content of Pentachlorophenol	< 5 ppm	< 5 ppm	< 5 ppm	< 5 ppm
Formaldehyde emission	E1	E1	E1	E1
<b>Technical performance</b>				
Abrasion resistance	AC4	AC4	AC4	AC5
Impact resistance Big Ball	$\geq 750$ mm	$\geq 750$ mm	$\geq 750$ mm	$\geq 750$ mm
Impact resistance Small Ball	$\geq 12$ N	$\geq 12$ N	$\geq 12$ N	$\geq 12$ N
Stain resistance - groups 1 and 2	Level 5	Level 5	Level 5	Level 5
Stain resistance - group 3	Level 4	Level 4	Level 4	Level 4
Furniture leg effect	No damage	No damage	No damage	No damage
Castor chair effect	No damage	No damage	No damage	No damage
Thickness Swelling	$\leq 18$ %	$\leq 18$ %	$\leq 18$ %	$\leq 18$ %
Colour fastness to light	$\geq 4$	$\geq 4$	$\geq 4$	$\geq 4$
Surface Soundness	$\geq 1.25$ N/mm <sup>2</sup>	$\geq 1.25$ N/mm <sup>2</sup>	$\geq 1.25$ N/mm <sup>2</sup>	$\geq 1.25$ N/mm <sup>2</sup>
<b>Sustainability performances</b>				
Emissions label	A+	A+	A+	A+
PEFC	Yes	Yes	Yes	Yes
RTS emission class	M1	M1	M1	M1
Carb II Compliant	Yes	Yes	Yes	Yes
<b>Dimensions and designs</b>				
Plank	Plank 1292 x 193 mm 8 planks = 1,995 m <sup>2</sup> / box 60 boxes / pallet 7,26 kg/m <sup>2</sup>	Plank 1292 x 327 mm 6 planks = 2,535 m <sup>2</sup> / box 40 boxes / pallet 8,17 kg/m <sup>2</sup>	Plank 2050 x 246 mm 5 planks = 2,522 m <sup>2</sup> / box 33 boxes / pallet 9,10 kg/m <sup>2</sup>	Plank 1292 x 193 mm 8 planks = 1,995 m <sup>2</sup> / box 60 boxes / pallet 7,26 kg/m <sup>2</sup>
Number of designs available	20	4	7	5
<b>Garanties</b>				
Residential use	20 years	20 years	20 years	25 years
Commercial use	5 years	5 years	5 years	5 years

The above information is subject to modification for the benefit of further improvement (14/10/2021). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.



# THE RIGHT ACCESSORIES

## for a perfect finish

Our Laminate range comes with a comprehensive assortment of coordinated skirting and other accessories. Matching accessories are available for all skirting and profile options.

Please check with your local Tarkett representative for more information.

### SKIRTING



Dimensions	17 x 60 x 2400 mm
Compositions	MDF
Fixing system	Glue
Packaging	1 box = 6 pieces

• White, paintable skirting is also available.

### ENSURE WORRY-FREE INSTALLATION

Choose between two different foam options to maximise walking and standing comfort. Select the solution that best meets your needs.



#### TARKOFOAM II

2 mm thick fine cell PE foam.  
Freon free.

15 m<sup>2</sup> rolls (8790314) / 70 m<sup>2</sup> rolls (8790315)

Noise (17 dB) and heat insulation  
Levels out minor subfloor irregularities

Floating installation on suitable subfloors:  
chipboard, existing wooden floors




#### TARKOFLEX II

2 mm thick, fine cell PE foam with 0.1 mm PE foil moisture barrier.  
Freon free.

15 m<sup>2</sup> rolls (8790312) / 70 m<sup>2</sup> rolls (8790316)

Moisture barrier for up to 90%  
Relative Humidity (RH)  
Noise (17 dB) and heat insulation  
Levels out minor subfloor irregularities

Floating installation on suitable subfloors:  
concrete, tiles, under-floor heating



ESSENTIALS 832  
TICINO OAK  
510031021





■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett N.V. - Tel. +32 52 26 24 11 - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Estonia: Tel. +372 555 515 880 ■ Lithuania: Tel. +370 37 262 220 ■ Latvia: Tel. +371 26112014 ■ Czech Republic: Tarkett org. složka - Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP.Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 8150 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 35 45 621 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8716 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 4130 3793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. - Tel. +1 450 293 3173 ■ **LATIN AMERICA:** Brazil: Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ **Mexico /Central America:** Tarkett Latam Mexico - Tel. +55 11 98410 9310



TDM INT 5100031922 / GR INT 5100031923 - 01-2022

Due to evolution of standards, characteristics indicated in the text and images in this document are not binding only after confirmation by our departments.  
Design: Avant Post - Agence Gecko / Photos: Evolution - Getty Images - Studio 3D / Print: PEPRINT

